

NAME

`ares_getnameinfo` – Address-to-nodename translation in protocol-independent manner

SYNOPSIS

```
#include <ares.h>
```

```
typedef void (*ares_nameinfo_callback)(void *arg, int status,
int timeouts, char *node, char *service)
```

```
void ares_getnameinfo(ares_channel channel, const struct sockaddr *sa,
ares_socklen_t salen, int flags, ares_nameinfo_callback callback,
void *arg)
```

DESCRIPTION

The `ares_getnameinfo` function is defined for protocol-independent address translation. The function is a combination of `ares_gethostbyaddr(3)` and `getservbyport(3)`. The function will translate the address either by executing a host query on the name service channel identified by `channel` or it will attempt to resolve it locally if possible. The parameters `sa` and `len` give the address as a `sockaddr` structure, and `flags` gives the options that the function will use. Valid flags are listed below:

ARES_NI_NOFQDN

Only the nodename portion of the FQDN is returned for local hosts.

ARES_NI_NUMERICHOST

The numeric form of the hostname is returned rather than the name.

ARES_NI_NAMEREQD

An error is returned if the hostname cannot be found in the DNS.

ARES_NI_NUMERICSERV

The numeric form of the service is returned rather than the name.

ARES_NI_TCP The service name is to be looked up for the TCP protocol.

ARES_NI_UDP The service name is to be looked up for the UDP protocol.

ARES_NI_SCTP The service name is to be looked up for the SCTP protocol.

ARES_NI_DCCP The service name is to be looked up for the DCCP protocol.

ARES_NI_NUMERICSCOPE

The numeric form of the scope ID is returned rather than the name.

ARES_NI_LOOKUPHOST

A hostname lookup is being requested.

ARES_NI_LOOKUPSERVICE

A service name lookup is being requested.

When the query is complete or has failed, the `ares` library will invoke `callback`. Completion or failure of the query may happen immediately, or may happen during a later call to `ares_process(3)`, `ares_destroy(3)` or `ares_cancel(3)`.

The callback argument `arg` is copied from the `ares_getnameinfo` argument `arg`. The callback argument `status` indicates whether the query succeeded and, if not, how it failed. It may have any of the following values:

ARES_SUCCESS The host lookup completed successfully.

ARES_ENOTIMP The `ares` library does not know how to look up addresses of type `family`.

ARES_ENOTFOUND

The address `addr` was not found.

ARES_ENOMEM Memory was exhausted.

ARES_EDESTRUCTION

The name service channel *channel* is being destroyed; the query will not be completed.

ARES_EBADFLAGS

The *flags* parameter contains an illegal value.

The callback argument *timeouts* reports how many times a query timed out during the execution of the given request.

On successful completion of the query, the callback argument *node* contains a string representing the host-name (assuming **ARES_NI_LOOKUPHOST** was specified). Additionally, *service* contains a string representing the service name (assuming **ARES_NI_LOOKUPSERVICE** was specified). If the query did not complete successfully, or one of the values was not requested, *node* or *service* will be **NULL**.

SEE ALSO

ares_process(3), **ares_getaddrinfo(3)**

AUTHOR

Dominick Meglio

Copyright 2005 by Dominick Meglio.